

FF-L-2890C

GSA APPROVED

Type IX - Push Pull Exit Only Model (NEW)

Type X - Panic Bar Exit Only Model (NEW)

Compliance & Certifications


FF-L-2890C

GSA Approved

U.L. Fire Rated

NFPA 80 & 101 Life Safety

Grade 1



Exit Models

Types IX & X

The LockOne® Lock Series Exit Models are designed for secondary doors to regulate the flow of traffic into rooms with multiple entrances, while always providing single motion egress.

BENEFITS

Interchangeable - You can install the LockOne™ Lock Series in your facility to maintain a consistent look as exterior trim has not changed.

Field Tested - With thousands of LKM10Ks in use today the improvements we have made will exceed your expectations.

Ease of Operation - The internal linear bearing allows for easy entry and exit even with heavy loads applied to the door.

TYPES




Type IX - Push Pull Model

Type X - Panic Bar Model



Providing **Life Safety**
and **High Security**

LKM10K
High Security Life Safety Exit Device

Type IX - Push Pull Handle Exit Model



Type IX & X Exterior Trim Exit Model



Specifications

Materials

Lock Housing - Stainless Steel
Finish - Stainless Steel & Black Powder Coat

Stainless Steel Deadbolt

Deadlocking, 7/16" throw
Encapsulated

Door Thickness

Minimum 1-1/8" - 2"; Maximum 2 5/8"

Door Types

Single or Double hung
Inswing (Push Pull)
Outswing (Push Pull & Panic Bar)
Hollow Metal or Wood
Metal or Wood Frames

Handing

Non-handed

Monitoring Switches

Deadbolt Switch - monitors the Pedestrian Device
Bolt (Request to Exit - REX)


Strike Test

A 6,000 lb force was applied to each type of
strike in the direction of the door swing.





Warranty

2 year from date of manufacture

Type X - Panic Bar Exit Model



Exclusive Adjustable Stainless Steel Strikes



Exit Only Models Part Numbers - Types IX & X

Part Number	Type/Model	Door Application	Lock Options	Access Control	Strike Options
Type IX - Push Pull Exit Only Model					
LKM10KHES1	Type IX - Push Pull Exit Only Model	Primary Door For Use with Inswing Door	N/A	N/A	1
LKM10KHES2	Type IX - Push Pull Exit Only Model	Primary Door For Use with Outswing Door	N/A	N/A	2
LKM10KHES3	Type IX - Push Pull Exit Only Model	Primary Door For Use with Inswing Metal Frame Door	N/A	N/A	3
LKM10KHES9	Type IX - Push Pull Exit Only Model	Primary Door For Use with Pair of Doors	N/A	N/A	9
Type X - Panic Bar Exit Only Model					
LKM10KPES2	Type X - Panic Bar Exit Only Model	Primary Door For Use with Outswing Door	N/A	N/A	2
LKM10KPES9	Type X - Panic Bar Exit Only Model	Primary Door For Use with Pair of Doors	N/A	N/A	9

LOCKMASTERS[®]
I N C O R P O R A T E D

2101 John C. Watts Drive
Nicholasville, Kentucky 40356
800.654.0637
www.lockmasters.com
www.lkm10k.com